

Uhlelo Lwekhompyutha LwePython Kanye Nekhophasi YesiZulu Njengezinsiza Zokuthuthukisa Kanye Nokuphusisa Ulimi LwesiZulu

Mthuli Buthelezi

ORCID ID: <https://orcid.org/0000-0003-1521-7141>

Iqoqa

Uhlelo lwekhompyutha lwePython lusetshenziselwa ukusungula kanye nokubhala izinhlelo zamakhompyutha zobuxhakaxhaka bokuxhumana kanye nezomakhalekhukhwini. Lolu hlelo oluthandwa kangaka selusetshenziswe ezindaweni eziningi ezifana nesayensi yezilimi, lapho khona okufundwa ngezilimi zabantu kuphinde futhi kuhlaziywe izilimi zabo bona abantu. Izilimi eziningi emhlabeni sezihlaziye, zaphinde futhi zatolikwa ngaphansi kwezinhlelo zayo iPython. Kodwa-ke, ezinye izilimi, ezifana nolimi lwesiZulu, bezingakacutshungulwa ngaphansi kwezinhlelo ezifana nayo iPython. Lolu cwaningo luhlaba umkhosi ekubalulekeni kokuhlongoza isiZulu ngaphansi kohlelo lwePython. Okubalulekile futhi ukuthi kulo lolu cwaningo kuyavela kahle kakhlophe ukuba singayisebenzisa kanjani lePython ukuhlaza, noma ukukhaliphisa ulimi lwesiZulu. Ikhophasi nayo idlala indima enkulu ekulolongeni amakhompyutha ukuba alufunde ulimi lwabantu futhi aluphimise. Ikhophasi-ke, kulolu cwaningo, isetshenziswe njengomhlahlandlela wokuchasisa ucwaningo. Umhlahlandlela wekhophasi yiwo olawula ukusethenziswa kwezinsizanhlelo zePython ekucubunguleni imibhalo yesiZulu, kulolu cwaningo. Ukufaka isiZulu ebuxhakaxhakeni bamakhompyutha obuhambelana nenhlalo kanye nesimo sabantu kanye nezinsiza zobuxhakaxhaka bokuxhumana yikho okuyohlomulelisa lolu limi ukuba lwephuse futhi luthuthuke.

Amagama asemqoka: IPython; IsiZulu; Ikhophasi; Ukufunda kanye nokufundisa ulimi lwesiZulu; Ukuhlela ngekhompyutha; Izinhlelo zekhompyutha; Izinsizanhlelo zamakhompyutha

The Python Programming Language and the IsiZulu Corpus as Tools for the Development and Intellectualisation of isiZulu

Mthuli Buthelezi

Abstract

The Python programming language is used to write mobile and computer software programs. This popular programming language has been used in linguistics where research into human languages takes place. Most computer software programs are written using such programming languages as Python. Most human languages of the world have been analysed and described using computer tools that are compatible with Python. However, within the realm of computation not much work has been done to analyse and describe resource-scarce languages such as isiZulu.. This study seeks to inspire work on using programming languages such as Python to analyse and provide descriptions of isiZulu within the context of computation. Examples of how to analyse isiZulu using Python are shown in this article, Further, analysing isiZulu within computation entails the development and thus intellectualisation of the language. Corpora play an important role as datasets in a data-driven, statistical-based model of machine learning. Therefore, the concept of a corpus has been adopted as a theoretical framework in this study. Within the framework of a corpus, Python tools are applied to isiZulu and its selected text samples. Contextualising the analyses and the descriptions of isiZulu to computation will assist in the development and intellectualisation of this language.

Keywords: Python; isiZulu; Corpus; isiZulu pedagogy; Programming; Computer software programs; Computer algorithms, Computer modules

Isingeniso

Umsebenzi wokwakha izinhlelo zamakhompyutha uyaye ubonakale njengomsebenzi wonjiniyela, abantu abakhonze ukuphila ngokusebenzisa amathuluzi (kanye nezandla zabo) ukwenza izinto. Lolu hlobo lokusebenza luyaye lubonakale lungahambisani kahle nendlela yokusebenza kanye nendlela yokufunda etholaka kakhulu esikoleni sezesintu kanye nasesikoleni

*Uhlelo Lwekhompyutha LwePython Kanye Nekhophasi YesiZulu
Njengezinsiza Zokuthuthukisa Kanye Nokuphusisa Ulimi LwesiZulu*

sezobuciko. Ukufunda ngokwakha izinhlelo zamakhompyutha ngaso sonke isikhathi kumatanyiswa neziko lezikole zobunjuniyela. Kungakuhle ukuba ezikweni lezikole ezifunda ngolimi lwesintu kube khona uphiko olubhekana nomsebenzi wokufundisa amakhompyutha ulimi lwabantu. Lolu cwaningo luhlose ukufaka ugqozi lokuba kuqalwe ukuthungathwa kwezindlela amakhompyutha angasetshenziswa ngazo ekucwaningeni nasekuthuthukisweni kwesiZulu. Abantu abaphuma ezikweni lezikole zesintu, kanye nasezikweni lezikole zobuciko, kumele baqale babe nentshisekelo futhi baqale ukufunda ngezindlela zokwakha izinhlelo zamakhompyutha. Ikakhulukazi uma sikhuluma ngezezilimi, abantu abafunda ngezezilimi kumele bafunde ukwakha izinhlelo zamakhompyutha ukuze bakwazi ukufundisa amakhompyutha ulimi lwemvelo lwabantu. Enye inhloso eyingqikithi lapha wukuba amakhompyutha nawo uqobo kumele alufunde ulimi lwabantu, akwazi futhi ukuluphimisa. Okunye futhi okubalulekile wukuba kule ndlela yesimanje yokufunda nokufundisa, lapho abantu besebenzisa amakhompyutha kakhulu khona uma befunda noma benza ucwaningo, akungabazeki ukuba izinhlelo zamakhompyutha, ezihambelana nolimi labomdabu, kumele ziqale zibunjwe, bese ziyasatshalaliswa ukuba zisetshenziswe wuwonkewonke.

Ngakho-ke, masiqale sibone ukwakha izinhlelo zamakhompyutha njengento ehambelanayo nolimi lwaboHlanga, kanti futhi nanjengento ehambelana nemfundo ephakeme yeziko lezesintu kanye neziko lezobuciko. Kodwa-ke okubonakalayo, futhi okuthembisayo wukuba ezikweni lezesintu, amakhompyutha aseyaqala ayamukeleka ngaphansi kompheme obizwa ngokuthiwa yi*Digital Humanities*. Ukusukela manjena-ke, izinhlelo zokwakha izinhlelo zamakhompyutha ezifana no*Python*, akusizo nje kuphela izinhlelo ezingamathuluzi onjiniyela, kepha lezi seziyizinhlelo ezingamathuluzi kawonkewonke.

Ikhophasi kanye namakhompyutha kuyaye kuhambisane esikhathini esiningi. Lolu cwaningo lusebenzise ikhophasi njengomhlahlandlela lapha. Esigabeni sesibili lapha, kuchazwe kwenatshwa ngomhlahlandlela wekhophasi osetshenzisiweyo kulolu cwaningo. Izinhlelo zamakhompyutha okunye futhi okubalulekile kulolu cwaningo nokuwumgogodla kwalo lolu cwaningo. I*Python* inohlelo olubizwa ngamaregular expressions. Uhlelo lwamaregular expressions luyingqikithi ebalulekile kulolu cwaningo. Kulolu cwaningo, u-re usetshenzisiwe ukuze kuhlaziye imibhalo yesiZulu. Inhlosongqangi lapha wukutshengisa ukuba izinhlelo ze*Python* zingasetshenziswa kanjani

ukuhlaziya noma ukucubungula imibhalo yolimi lwesiZulu. Kulolu cwaningo kuphinde kwalotshwa izibonelo lapho khona izinhlelo ezitholakala kwiPython zisetshezeniselwe ukucwaninga imibhalo yesiZulu.

Olunye ucwaningo okumele lwenziwe wukuba zingakhiwa kanjani izinhlelo zamakhompyutha eziqonda noma eziqondene ngqo nolimi lwesiZulu kuphela. Ucwaningo lwangaphambilini lwekhophasi yesiZulu¹ lusebenzise amathuluzi afana no*wordsmith tools*, okanye o-*antconc* kanye no*sketch engine* ukuhlaziya imibhalo yesiZulu. Lolu cwaningo lona lusebenzisa iPython nohlelo lwamaregular expressions ukuhlaziya imibhalo yesiZulu. Akuqali ngalolu cwaningo ukuba ulimi lwesiZulu lucutshungulwe ngaphansi kohlelo lwePython. Olunye ucwaningo oseluhlaziye isiZulu ngaphansi kohlelo lwePython lutholakala kuKeet kanye noXakaza (2017).

Okuhlalukayo kulolu cwaningo wukuba ezinye izinhlelo zePython azikhehi limi. Isibonelo nje, kwaziwa ukuthi izinhlelo zamakhompyutha zokuhlaziya ulimi zisebenza kahle uma kuhlaziywa ulimi lwesiNgisi. Okuvelayo lapha-ke, wukuthi ezinye zezinhlelo zePython zisebenza kahle impela yize noma kuhlaziywa ulimi lwesintu. Lokhu kusho ukuthi izinsizanhlelo ezifana no-*re.search*, o-*re.compile*, o-*re.findall* kanye no-*re.sub* zisebenza kahle futhi uma kuhlaziywa imibhalo yesiZulu. Okuvelayo futhi wukuthi esiNgisini, amakhompyutha ayakwazi ukuba aguqule igama, aveze umsuka walo². Ngeshwa, esiZulwini, asikakwazi ukukwenza lokhu. Ngaphezu kwalokho, amakhompyutha aseyakwazi ukuba aveze izingcezu zenkulumo zamagama esiNgisi. EsiZulwini, umsebenzi wokufundisa amakhompyutha izingcezu zenkulumo kusamele uqhubeke, uqhutshwe, bese uyaphothulwa³. Lokhu kusho khona ukuthi muningi umsebenzi okusamele wenziwe esiZulwini.

¹ Ucwaningo olushicilelwe olumayelana nekhophasi yesiZulu lutholakala kuKhumalo (2020).

² Isibonelo sokuguquguquka igama ukuba kuvele umsuka walo: umuntukazana – umuntu. Igama elithi '*lemmatisation*' lichaza umsebenzi amakhompyutha akwazi ukuwenza wokuveza umsuka wegama.

³ Umsebenzi wokuhlela amagama esiZulu ngokwezingcezu zenkulumo usuqalile. Lo msebenzi oshicilelweyo utholakala kuPretorius noBosch (2003), kanye nakwabanye abacwaningi. Izinhlelo ezihlela amagama esiZulu ngokwezingcezu zenkulu zikwenza lokhu ngokusebenzisa amatemu esiNgisi. Ngakho, ngokwalezi zinhlelo, uma zihlela igama elithi 'umuntu,' azisho ukuthi igama elithi 'umuntu' yibizo, kepha zithi igama elithi 'umuntu' yinoun.

*Uhlelo Lwekhompyutha LwePython Kanye Nekhophasi YesiZulu
Njengezinsiza Zokuthuthukisa Kanye Nokuphusisa Ulimi LwesiZulu*

Uma sekuziwa kwezamakhompyutha, isiZulu kanye nezinye izilimi zomdabu azikakacutshungulwisisa kahle ngaphansi kwezinhlelo zamakhompyutha. Enye inhlosongqangi yalolu cwaningo wukuvusa ugqozi lokuba kuqalwe kucutshungulwe isiZulu ngaphansi kwezinhlelo zamakhompyutha ezikhethekileyo zokuhlaziya kanye nokwakha ulimi.

Kulona lolu cwaningo kukhulunywa ngomhlahlandlela osetshenzisiwe ngenkathi kwenziwa lolu cwaningo. Okubalukile okuvelayo wukuthi umhlahlandlela olandelwa yilolu cwaningo ngowekhophasi. Ikhophasi akusiyo imibhalo nje kuphela eqoqelwe ndawonye. Kepha ikhophasi, njengenjulalwazi, iyakwazi ukuba ibe sesigabeni somhlahlandlela⁴. IPython idlala indima enkulu kulolu cwaningo njengesikhali somsebenzi esisetshenziselwe ukuhlaziya imininigwane yalolu cwaningo, okuyimibhalo yesiZulu. Ngalokho-ke, lapha sinikeza nencazelo yokuthi iyini iPython. Lolu cwaningo luphinde luhlaziye imininingo luphinde futhi lunikeze nemiphumela yocwaningo.

Umhlahlandlela Osetshenzisiwe Kulolu Cwaningo

Umhlahlandlela osetshenzisiwe kulolu cwaningo ngowekhophasi. Ikhophasi ingasetshenziswa njengegqirha lokuthuthukisa kanye nokucubungula ulimi. Ikhophasi ingaphinde futhi isebenze njengomhlahlandlela wokucwaninga ulimi. Okubalulekile, nosekuvuzwe wuMcEnery benoHardie (2014), wukuthi ikhophasi ingasetshenziswa njengendlela yokwenza ucwaningo (*corpus as a research methodology*), iphinde futhi isetshenziswe njengomhlahlandlela wokuhlalela ucwaningo (*corpus as a theoretical framework*). Lapha kulolu cwaningo, ikhophasi isetshenziswe njengendlela yokwenza ucwaningo, yaphinde futhi yasetshenziswa njengomhlahlandlela walo lolu cwaningo.

Njengoba sekutshengisiwe nguTaylor (2010), ikhophasi kanye nezifundo zocwaningo zilimi kungaba yizizinda lapho khona eminye imihlahlandlela yolimi engahluma khona iphinde icutshungulwe futhi⁵. Okubalulekile lapha okumele kuqondwe, wukuthi ikhophasi njengomhlahlandlela iyahambelana nemihlahlandlela yezinhlelo zamakhompyutha (*theories of Natural Language Processing*). Okuzovela

⁴ Umsebenzi ka-Taylor (2010) uveza khophasi njengomhlahlandlela.

⁵ Corpus linguistics can also be a paradigm in which theories could emerge and be explicated on (Taylor 2010).

khonakulolu cwaningo wukuhambelana kwekhophasi yesiZulu kanye nezinhlelo zamakhompyutha ekucubunguleni ulimi lwesiZulu. Uma kucutshungulwa ikhophasi kusuke kucutshungulwa lona ulimi uqobo. NgokukaEgbert Larsson noBiber (2020), umhlahlandlela wekhophasi ufaka ukucutshungulwa kwayo ikhophasi. Ikhophasi yimibhalo eqoqiwe yabe isihlelwa ngohlu oluthile; le mibhalo yekhophasi iyaye icutshungulwe ngemishini yamakhompyutha⁶.

Muningi umsebenzi okumele wenziwe ekuqoqweni kwekhophasi yesiZulu. Umhlahlandlela wekhophasi ungasetshenziswa futhi ekucwaningeni uhlelo lolimi lwesiZulu. Esikhathini esiningi uma abacwaningi bohlelo lolimi benza ucwaningo olimini olufana nesiZulu, bayaye bafune abantu abakhuluma lona ulimi lwesiZulu. Kepha-ke, ukuba khona kwekhophasi kuyakuveza ukuba ikhophasi uqobo lwayo ingasetshenziswa ngabacwaningi bolimi ekucwaningeni uhlelo lolimi; nomhlahlandlela wekhophasi uyahambelana nakho lokhu. Ukuba khona kwekhophasi kanye nomhlahlandlela wayo kuveza izindlela ezahlukeneyo zokucwaninga ulimi. Okunye okubalulekile okumele kuqondwe lapha wukuthi ikhophasi njengomhlahlandlela ayisetshenziswa lapho okucwaningwa ulimi khona kuphela, kepha futhi ingasetshenziswa ekufundeni kanye nasekufundiseni ulimi olufana nesiZulu.

UMcEnery kanye noHardie (2014) bathi umhlahlandlela wekhophasi uyingqikithi enkulu ekuthuthukeni komkhakha wezocwaningo zilimi kanye nokuthuthuka kokusetshenziswa kwamakhompyutha ekucwaningeni ulimi.⁷ UMcEnery kanye noHardie (2014) baqhuba bathi umhlahlandlela wekhophasi usuguquguquke izikhashana eziningana kusukela kudala lapho khona owawusetshenziselwa kwikhophasi yocwaningo zilimi, kuze kube yimanye lapho khona ususetshenziswa kakhulu emikhakheni eminingi efana nomkhakha wezinhlelo zamakhompyutha ezisetshenziselwa ukucwaninga ulimi, umkhakha wocwaningo zilimi wekhophasi, kanye nakweminye imikhakha⁸. Kulolu cwaningo-ke, umhlahlandlela wekhophasi ulawula

⁶ Corpus-based studies involve the investigation of corpora, i.e. collections of (pieces of) texts that have been gathered according to specific criteria and are generally analysed automatically (Egbert, Larsson and Biber 2020).

⁷ The concept of a corpus has been central to the development of linguistics, especially computational linguistics (McEnery and Hardie 2014).

⁸ The concept of a corpus as a theory has evolved over time, from the early days of corpus linguistics to the present day, where corpora are widely used in

Uhlelo Lwekhompyutha LwePython Kanye Nekhophasi YesiZulu Njengezinsiza Zokuthuthukisa Kanye Nokuphusisa Ulimi LwesiZulu

imibhalo lena evela ezibonelweni, uphinde futhi ulawule izinsizanhlelo zamakhompyutha ezisetshenziweyo lapha.

Izibonelo kulolu cwaningo ezihlaziywa ngaphansi komhlahlandlela wekhophasi ziveza okusha ngolimi lwesiZulu futhi zibonisa okungenziwa ngolimi lwesiZulu uma kusetshenziswa ikhophasi kanye nezinhlelo zamakhompyutha. Umhlahlandlela wekhophasi uphinde futhi ulawule ukuqoqwa kanye nokuhlelwa kwayo ikhophasi. Ngakho-ke, uma kukhona izinhlelo zokuqhubeka nokwakha ikhophasi yesiZulu, lezo zinhlelo kuyomele zilandele umhlahlandlela wekhophasi. Ukusetshenziswa komhlahlandlela wekhophasi ekucwaningeni ulimi lwesiZulu kuyosiza ukuba kubonakale okusha ngolimi lwesiZulu okukade kungabonakali ngaphambilini. Ngaphezu kwalokho, umhlahlandlela wekhophasi usiza futhi nasekwakhiweni kwalo ulimi. Uma kwakhiwa ikhophasi yolimi lwemvelo, kusuke kwakhiwa lona ulimi uqobo lwalo. Ukusetshenziswa kwekhophasi nomhlahlandlela wayo ekwakheni ulimi kwenza ukuba lolu limi lwephuse futhi luthuthuke, ludlondlobale.

Ingabe luyini uhlelo lwe-Python na?

Uhlelo lwePython wuhlelo lwekhompyutha lokwakha ezinye izinhlelo zamakhompyutha. Izinhlelo zamakhompyutha zibunjwa noma zakhiwa ngokusebenzisa ezinye izinhlelo ezifana noPython. Isibonelo nje, uhlelo lokuxhuma iFacebook lwakhiwe kusetshenziswa izinhlelo ezifana nayo iPython. Zonke izinhlelo ezikwikhompyutha nezikomakhalekhukhwini zakhiwe kusetshenziswa izinhlelo zokwakha izinhlelo zamakhompyutha. NgokukaHao kanye noHo (2019: 352), uhlelo lwePython wuhlelo oluthandwa kakhulu⁹ futhi oselusetshenziswe ezinhlelweni eziningi zezemfundo. Siyathola ukuba nasesayensini yezilimi lolu hlelo luyasetshenziswa. Izilimi eziningi emhlabeni sezicutshungulwe, zaphinde zaphucuzeliswa ngaphansi kwalo lolu hlelo lwePython. Uhlelo lwePython yilo olusetshenziswe njengethuluzi lokucubungula imibhalo ekhethiweyo yesiZulu kulolu cwaningo. Ngakho-ke, lapha, kuchazwa kwenatshwe ngokugcwele ngePython. UMalloy noPower

many areas of research, including natural language processing, computational linguistics, and other fields (McEnery and Hardie 2014).

⁹ The Python programming language is gaining tremendous popularity (Hao and Ho 2019: 352).

(2017) bachaza iPython njengohlelo oluthandwa kakhulu lwesimanje lokwenza izinhlelo zamakhompyutha. Ngokukavan Rossum benode Boer¹⁰¹¹ (1991), uhlelo lwePython “... wuhlelo oluphelele lokwakha ezinye izinhlelo zamakhompyutha”. Uvan Rossum¹² kanye node Boer (1991) baqhuba bathi-ke uhlelo lwePython wuhlelo ongakwazi ukwenza ngalo imisebenzi eminingi kumakhompyutha. Bathi futhi-ke iPython wuhlelo olungasetshenziswa ukulawula noma-ke udambisa izinkinga ezikhona ezikhethekileyo esibhekene nazo¹³.

Kokunye-ke, kokumele kwaziwe, wukuthi ziningi izinhlelo zokwenza ezinye izinhlelo zamakhompyutha. Izinhlelo ezisetshenziswa kakhulu kubalwa Perl, i-C, i-C+, i-C++, i-Java kanye nezinye eziningana impela. UWeisser (2009) uncoma kakhulu uhlelo lwePerl kanti futhi uthola okuningi kulolu hlelo okuhambisana nokuhlaziya izilimi ngaphansi kwezifundo zezilimi. UWeisser (2009) uchaza kabanzi ukuba ingafakwa kanjani iPerl kumakhompyutha bese iyasatshenziswa ukuhlaziya izilimi. Kodwa-ke, uma iqhathaniswa nePython, iPerl ayikwazi ukusetshenziselwa imisebenzi eminingi, kanti futhi kukhona izinhlelo iPerl engenazo, ezithokozelwa kakhulu ngabasunguli bezinhlelo zamakhompyutha. Kulolu cwaningo, uhlelo lwePython lukhethwe ngoba yilo lona olusetshenziswa kakhulu esikhathini samanje okwedlulla lezi ezinye izinhlelo, kanti futhi lungasetshenziselwa ukwenza imisebenzi eminingi. Ngaphezu kwalokho, kulula kakhulu ukusebenzisa iPython kunokusebenzisa iPerl noma i-C+.

NgokukaMalloy kanye noPower (2017), uhlelo lwePython lungasebenzisana nezinye izinhlelo zokwenza amakhompyutha¹⁴. Lokhu kusho ukuthi ezinye izinhlelo ezindala kanye nezinye izinhlelo ezenziwe ngezinye izinhlelo zingahambelana nePython yamanje. Uhlobo lwePython olusetshenzisiwe ngenkathi kwenziwa lolu cwaningo iPython 3.8.5.

¹⁰ ‘... interpreted prototyping language’ (van Rossum and de Boer 1991: 283).

¹¹ Lokhu kusho ukuthi uhlelo lwePython wuhlelo oluphelele lokwenza izinhlelo zamakhompyutha, okusho ukuthi awuzidingi ezinye izinhlelo ezengeziwe ukuze ubumbe uhlelo lwekhompyutha.

¹² Ngumnumzane Guido van Rossum owakha izinhlelo zamakhompyutha okunguye owasungula uhlelo lwePython.

¹³ Mayelana nalokhu, wobona ingqikithi yocwaningo lukavan Rossum kanye node Boer, olwashicilelwa ngonyaka wezi-1991.

¹⁴ Python has what is referred to as *backward* and *forward* mobility (Malloy and Power, 2017: 01).

*Uhlelo Lwekhompyutha LwePython Kanye Nekhophasi YesiZulu
Njengezinsiza Zokuthuthukisa Kanye Nokuphusisa Ulimi LwesiZulu*

Emkhakheni wamakhompyutha kanye nasemkhakheni wezesayensi yamakhompyutha izinto zinokuguquguquka ngokukhulu ukushesha. Lokhu kuguquguquka kusho ukuthi khona kusasa lokhu okusayo kungaba khona olunye uhlelo olusha lwePython, noma olunye uhlelo olusha olungathandwa ngabantu olungenza yona iPython ukuba ingabe isasetshenziswa. Ngokuguquguquka ngokuphazima kweso kwezinhlelo emkhakheni wamakhompyutha, ocwaningweni olulandelayo, oluzokwelama lolu, kungenzeka ukuba lona luyobe selusebenzisa uhlobo olusha lwePython, noma olunye uhlelo olusha oseluyobe selusetshenziswa yiningi labantu, futhi oseluyobe selusebenziseka kalula kakhulu. Ngaphezu kwalokhu, esinye isizathu esidala ukuba iPython ithandwe kakhulu wukuba kulula kakhulu ukuqonda ulimi olusetshenziswa kwiPython kanti futhi nokusebenzisa yona iPython kulula kakhulu¹⁵. IPython¹⁶ wuhlelo olutholakala mahhala, kanti futhi lulawulwa luphinde luhlelwe wumphakathi wayo iPython¹⁷. NgokukaPiwek kanye noSavage (2020), ukwenza izinhlelo zamakhompyutha akubizi mali¹⁸. Njengoba izinhlelo zamakhompyutha kanye nokwenza izinhlelo zamakhompyutha kumahhala nje, kusho kona ukuthi lezi zinhlelo zingasetshenziswa lapho khona kuthuthukiswa, kufundwa, kufundiswa noma kuhlaziywa ulimi lwesiZulu.

Emuva kweminyakana eminingana uhlelo lwePython lwasungulwa, kukhona izinsizanhlelo eziqhakambileyo, ezihambelana nayo iPython, okuyizona ezihlabahlosile ekuhlaziyeni ulimi. Uhlelo lwePython luhambelana nezinsizanhlelo ezihlabahlosileyo ezifana ne*Natural Language Toolkit (NLP)* kanye ne*Tkinter*. ITkinter iyona esetshenziswayo uma kwakhiwa izinkundla¹⁹

¹⁵ Python's elegant, and not overly cryptic, syntax, emphasizes support for common programming methodology and promotes code readability and thus maintainability (Hao and Ho 2019: 348).

¹⁶ Ubukhondlakhondla bohlelo lwePython bufakazelwa futhi nguCai benoLangtangen *et al.*, (2005).

¹⁷ The Python programming language is open-source and it is maintained by the Python community (Hao and Ho 2019: 352).

¹⁸ Therefore, in this case, programming is an open-source concept (Piwek and Savage 2020).

¹⁹ Igama elithi 'inkundla' yigama eliyitemu lesiZulu elisho i*Graphical User Interface (GUI)*. Leli temu livela emsebenzi kaKeet noBarbour (2014). UKeet

noma oBhalabuso²⁰ bezinhlelo zamakhompyutha nomakhalekhukhwini. Kulolu cwaningo kusetshenziswe amaregular expressions ukuhlaziya izinhlamvu, amagama, imisho, imibhalo kanye nekhophasi yesiZulu. Njengoba sekubaluliwe esingenisweni salolu cwaningo ukuthi izinhlelo zePython zokuhlaziya izilimi zemvelo kazicwasi ngokolimi. Ngakho-ke, izinsizahlelo zamaregular expressions, ezingaphansi kwePython, zingahlaziya nanoma yiluphi ulimi lwabantu. Lapha, kusetshenziswe izinsizanhlelo zamaregular expressions ukuhlaziya imibhalo yesiZulu.

KwiPython kukhona insizanhlelo ebizwa ngokuthiwa yiNatural Language Toolkit (NLTK). Le nsizanhlelo iwuhlelo oluhle impela ekuhlaziyweni kolimi olulotshiwe. Kepha-ke, le nsizanhlelo ayihambelani kahle nolimi lwesiZulu. Enye insizanhlelo ehambelana nePython yiJupyter Notebook²¹. Izilimi zabantu zinemithetho ephawulekayo. Amakhompyutha kumele ayifunde le mithetho ukuze azokwazi ukulufunda kanye nokuluphimisa ulimi lwabantu. Amakhompyutha kumele ayihangule yonke le mithetho bese eluqonda ulimi. Indlela amakhompyutha ahangula ngayo ulimi wukuba anikezwe lona ulimi uqobo lwalo. Amakhompyutha akwazi ukwamukela ulimi olusesimweni sekhophasi. Into yokuqala ngqa okumele yenziwe uma kufundiswa amakhompyutha ulimi wukuba kuqoqwe ikhophasi yolimi. Emuva kwalokho sekungasetshenziswa izinhlelo ezifana noPython ukubalulela amakhompyutha imiyalelo kanye nemithetho yolimi. Emuva kwalokho-ke, amakhompyutha azobe eseqala ukuluqonda ulimi.

Isilingo Socwaningo Kanye Nemiphumela Yalo Ucwaningo

Ukusebenzisa Izinhlelo Ezikhethiweyo Zamaregular Expressions Ukuhlahlela Nokuhlaziya Imibhalo YesiZulu

IJupyter Notebook insizanhlelo ehambelana nohlelo lwePython


noBarbour (2014) bona leli temu balithathela esizindeni solwazi somnyango wezamaciko kanye namasiko waseNingizimu Afrika, wonyaka wezi-2005.

²⁰ UBhalabuso yitemu lesiZulu elisungulwe kulolu cwaningo elichaza iGraphical User Interface (GUI). Itemu elithi ‘inkundla’ lingaba nezinye izincazelo ezengeziwe esiZulwini; kepha itemu elithi ‘uBhalabuso’ lona linencazelo eyodwa kuphela ye-GUI.

²¹ Insizanhlelo yePython okuyaye kulotshelwe kuyo izinhlelo yiIDLE. Kepha lapha kulolu cwaningo izinhlelo zilotshelwe kwinsizanhlelo iJupyter Notebook.

Uhlelo Lwekhompyutha LwePython Kanye Nekhophasi YesiZulu Njengezinsiza Zokuthuthukisa Kanye Nokuphusisa Ulimi LwesiZulu

engasetshenziselwa ukuloba izinhlelo zamakhompyutha. Lapha kulolu cwaningo, i*Jupyter Notebook* isetshenziselwe ukuloba izinhlelo ezithungatha ubunjalo bemithetho yolimi lwesiZulu. I*Jupyter Notebook* ingasetshenziswa ngendlela efanayo ne*IDLE*. I-*IDLE* enye insizanhlelo ehambelana nohlelo lwe*Python*. *Amaregular expressions*²² asetshenziselwa ukuthungatha imithetho ephindaphindikeyo yolimi. *Amaregular expressions* angalotshelwa kwinsizanhlelo i*Jupyter Notebook*. Ekwenzeni lolu cwaningo kufakwe i*Jupyter Notebook* kwikhompyutha kusetshenziswa uhlelo lo-*Ubuntu OS*. I*Jupyter Notebook* itholakala kanti futhi isetshenziswa mahhala. Kulesi sibonelo sohlelo esilotshelwe kwi*Jupyter Notebook*, kuyavela ukuba ingasetshenziswa kanjani i*Jupyter Notebook* kanye nohlelo olulotshwe kuyo ukuhlaziya kanye nokuhlahlela imibhalo yolimi lwesiZulu. Okunye okubalulekile wukuba i*Jupyter Notebook* lena wusiba olusetshenziselwa ukuloba izinhlelo zamakhompyutha olungacwasi ngokolimi. Okusho ukuthi-ke, i*Jupyter Notebook* ingasetshenziselwa ukuloba izinhlelo ezihlaziya yinanoma yiluphi ulimi olusetshenziswa ngabantu.



The screenshot shows the Jupyter Notebook interface. At the top, it says 'Jupyter Untitled3' and 'Last Checkpoint: 7 minutes ago (unsaved changes)'. There is a 'Logout' button. Below this is a menu bar with 'File', 'Edit', 'View', 'Insert', 'Cell', 'Kernel', and 'Help'. To the right of the menu bar are 'Trusted' and 'Python 3 (ipykernel)' buttons. Below the menu bar is a toolbar with icons for file operations, navigation, and execution. The main area shows a code cell with the following text:

```
In [1]: import re

In [2]: re.search(r'^{umu}', 'umuntu ngumuntu ngabantu')

Out[2]: <re.Match object; span=(0, 3), match='umu'>
```

Isibonelo sokuqala: ukutonyulwa kwesakhiqho esikhethiweyo emshweni wesiZulu

²² *Amaregular expressions* amelwe wu-*re* lo ovela kuBhalabuso lwe*Jupyter Notebook*.

Uhlelo lokuqala olulotshiwe ngaphezulu lapha lutshengisa ukuba lungatonyulwa kanjani uhlamvana lwegama olukhethiweyo. Ukuze kufezekiswe lo myalelo wokutomula isakhiqho u-*umu*, kuyomele kuqalwe kubizwe insizanhelo *iregular expression*²³ evela njengo-*re* ezibonelweni. Lokhu kubonakala esibonelweni sohlelo lokuqala esilotshiwe. Ukusetshenziswa kwensizanhlelo u-*re* kuvela nakwezinye futhi izibonelo lapha kulolu cwaningo.

Emgqeni wesibili, esibonelweni sokuqala lapha ngaphezulu, kunemiyalelo kanye nomusho obhaliwe. Umyalelo wohlelo ufezekiswe ngaphansi komugqa wesibili. Umugqa ongaphansi komugqa wesibili lapho okuvela khona umphumela womyalelo wu-*out* [2]. Umyalelo esibonelweni sokuqala uthi, tomula isiphongozo u-*umu* ebizweni elisemshweni. Esibonelweni sokuqala, lesi siphongozo yiso esokuqala enhlokweni yomusho. Okubonakalayo-ke, wukuba lo myalelo ufezekisekile impela ngokweqiniso.

```
In [1]: import re
```

```
In [2]: re.search(r'^(umu)', 'umuntu ngumuntu ngabantu')
```

```
Out[2]: <re.Match object; span=(0, 3), match='umu'>
```

```
In [3]: re.search(r'(ntu)$', 'umuntu ngumuntu ngabantu')
```

```
Out[3]: <re.Match object; span=(21, 24), match='ntu'>
```

Isibonelo sesibili: ukutonyulwa kwesakhiqho esikhethiweyo emshweni wesiZulu

Esibonelweni sesibili sohlelo esilotshiweyo lapha ngaphezulu kutshengiswa ukutonyulwa kwesakhiqho esikhethiweyo emshweni wesiZulu. Lesi sakhi siyisiqu esivela ekugcineni kwamabizo emshweni. Umyalelo lapha ulotshwe emgqeni wesithathu u-*in* [3]. Umyalelo ngu-*re.search(r'(ntu)\$')* okuyiwo osebenza umsebenzi wokuthungatha kanye nokutomula isiqu u-*ntu*. Njengoba kubonakala esibonelweni sesibili, umyalelo ufezekisiwe wuhlelo. Umphumela womyalelo uvela ngaphansi komugqa wesithathu u-*out* [3].

²³ Ukuze kubizwe insizanhlelo yama-*regular expressions* ohlelweni kumele kusetshenziswe umyalelo othi: *import re*.

*Uhlelo Lwekhompyutha LwePython Kanye Nekhophasi YesiZulu
Njengezinsiza Zokuthuthukisa Kanye Nokuphusisa Ulimi LwesiZulu*

Umyalelo olandelayo, esibonelweni sesithathu, ungaveza ukuphindaphindeka kwezakhiqho emabizweni asemibhalweni yolimi lwesiZulu.

```
In [5]: re.search(r'(hamba){2}', 'umthakathi uyahambahamba ebusuku')
```

```
Out[5]: <re.Match object; span=(14, 24), match='hambahamba'>
```

Isibonelo sesithathu: ukutonyulwa kwesakhiqho esiphindaphindekile emshweni wesiZulu

Esibonelweni sesithathu, umyalelo wukuba kutshengiswe isakhiqho esiphindaphindikayo sesiZulu u-*hamba*²⁴.

Emgqeni wesihlanu, lesi sakhi siphindaphindeke kabili kuphela. Umyalelo ufezekile-ke lapha, njengoba kubonakala ngaphansi komugqa wesihlanu. Uhlelo luwuqondile umyalelo, lawenza, lawubuyisa. Ngale nsizanhlelo i-*re.search* yamaregular expression²⁵ kungabhekwa, kokunye, ukuthi kungatonyulwa kanjani ‘amagama’ okanye izinhlamvana zamagama esiZulu. I-*re.search* ingasiza ukuba kuthungathwe ubunjalo bezinhlamvu zamagama esiZulu. Ngaphezu kwalokho, uma kukhona okuyiganyana okuthungathwayo embhalweni noma ekhophasini yesiZulu, kungasetshenziswa i-*re.search* ukuba kutholwe lezo zinhlamvana, noma lawo malunga, noma lawo maganyana kanye nemishwana edingakalayo.

Esibonelweni sesine esilotshiweyo lapha ngaphezulu, amaregular expressions abizwe emgqeni wokuqala. Emgqeni wesibili, kufakwe ikhophasi yesiZulu okuwumbhalo wesiZulu. Emgqeni wesithathu, insizanhlelo i-*findall* isetshenzisiwe ukuze ihlele ‘amagama’²⁶ akwikhophasi. I-*re.findall* iwahlele

²⁴ Igama elithi ‘hamba’ liyisenzo ngokuphelele. Kepha njengoba livela lapha kulo musho liphindaphindekile nje, ingxenye yalo ithatha indima yesakhi emshwaneni othi ‘uyahambahamba.’

²⁵ I-*search* yamaregular expressions ivela njenge-‘*re.search*’ esibonelweni sokuqala nesesibili kanye nesesikhombisa.

²⁶ Igama elithi ‘igama’ lisetshenziswe ngokukhulu ukucophelela kulolu cwaningo. Isizathu salokhu ngokuthi okubukeka kuyigama kungenzeka kube wumusho noma wumshwana esiZulwini. Incazelo yokuba liyini igama esiZulwini ingatholakala kuNyembezi (1986: 44-64).

Mthuli Buthelezi

ngohlu wonke amagama akwikhophasi. Uhlu lwamagama lubonakala ngaphansi komugqa wesithathu. Lokhu kusho ukuthi umyalelo ufezekile. Ngale nsizanhlelo *i-re.findall*, sikwazi ukuwola wonke amagama akwikhophasi siwahlele ngendlela ehlelekileyo.

```
In [1]: import re
```

```
In [2]:
```

```
kusuka kosopolitiki, abenkolo kanye namagumgedlela zasusa amehlo kulokho okuhle okuwavelelayo nokuyinqabakutholwa.'''
```

```
In [3]: re.findall(r'\b[a-z]{2,15}\b', text)
```

```
Out[3]: ['ungungoti',  
'wepolitiki',  
'nepolitiki',  
'yezomnotho',  
'ozoqinisa',  
'udonga',  
'lwasemuva',  
'mamagama',  
'yinyosi',  
'lapho',  
'yeba',  
'ithi',  
'ehlasela',  
'ngothando',  
'zibonakele',  
'kuleli',  
'sonto',  
'yiningi',  
'ngesikhathi',  
'ehola',  
'ithimba',  
'osomlando',  
'nosomabhizinisi',  
'njengengxenywe',  
'yemigubho',  
'yesikhumbuzo',  
'seminyaka',
```

Isibonelo sesine: ukusetshenziswa kwensiza *u-re.findall* emibhalweni yesiZulu

I-re.findall ikwazi ukuthola yonke into ekwikhophasi, yonke into ewumbhalo, bese iyiqoqela ndawonye. Lesi nje yisibonelo. Kuningi okunye *i-re.findall* engasetshenziselwa kukho emibhalweni yesiZulu.

Omunye umsebenzi *we-re.findall* wukuba itomule lelo gama elithungathwayo ekhophasini. Esibonelweni sesihlanu sohlelo esilotshiwe lapha ngezansi, igama elithi ‘Zuma’ litonyulwe embhalweni ovela emgqeni wesibili. Leli gama livela neziqalo zalo ngaphansi komugqa wesithathu kanye

Uhlelo Lwekhompyutha LwePython Kanye Nekhophasi YesiZulu Njengezinsiza Zokuthuthukisa Kanye Nokuphusisa Ulimi LwesiZulu

nangaphansi komugqa wesihlanu. Okunye esikubonayo esibonelweni sesihlanu, emgqeni wesine kanye nasemgqeni wesithupha, wukuba ayikho imiphumela yegama elithi ANC. Nakuba likhona leli gama embhalweni, kepha uhlelo luyala ukubuyisa igama. Ngabe kusho ukuthini lokhu na? Khumbula ukuthi igama elikhethiweyo lapha libuya nesiphongozo salo. Igama elithi ANC alinaso isiphongozo sendalo olimini lwesiZulu. Igama elithi ANC liqala ngonkamisa, ngakho-ke, lehlukaniswe wudwi esiphongozweni esingunkamisa sesiZulu. Lo dwi owehlukaniswa onkamisa yiwo odala ukuba uhlelo lungambuyisi u-ANC. Njengoba sazi umthetho wolimi lwesiZulu ukuba onkamisa abalandelani neze kulolu limi.

```
In [1]: import re

In [2]: text = '''OWAYENGUMGAMALI wakuleli uMnu Jacob Zuma usenxenge abakuleli ukuthi basukume bavote njengoba kuzoba nokh
Inhlango engenzi nzuzo kaZuma, iJG Zuma Foundation, izolo ifake i-video yakhe ezinkundleni zokuxhumana egququzela
UZuma uthethe kumthintile enhlizweni ukuzwa ukuthi kunabantu asebedube ukuvota ngenxa yezizathu ezithile.
"Asisukumeni sonke sivote, sivotele ikakhulukazi lo mbutho owaletsha inkululeko, i-ANC. Kubalulekile ukuthi lokho sikw
BREAKING NEWS
H.E President Zuma gives a clear line of march. pic.twitter.com/gsfwjoicmd
- JGZuma Foundation (Official) (@JGZ_Foundation) October 5, 2021
UZuma ubekhumula okokuqala nabantu bakuleli selokhe aphuma ngoshwele wokuqala ejele lase-Estcourt lapho aqale khona is
Ngenyanga edlule inhlango yakhe imenzelele ukuthi uzokwamukelwa ngenkonzo yomkhuleko ngo-Oktobha 14 lapho kumenywe k

In [3]: re.findall(r'\wZuma', text)
Out[3]: ['aZuma', 'UZuma', 'uZuma', 'oZuma', 'UZuma']

In [4]: re.findall(r'\wANC', text)
Out[4]: []

In [5]: re.findall(r'\w+Zuma', text)
Out[5]: ['kaZuma', 'UZuma', 'uZuma', 'JGZuma', 'UZuma']

In [6]: re.findall(r'\w+ANC', text)
Out[6]: []
```

Isibonelo sesihlanu: ukusetshenziswa kwensiza u-*re.findall* ukutomula 'igama' kanye nesakhiqho salo

Esibonelweni sesithupha, emgqeni wokuqala, emagameni atholakala emshweni, kubalwa igama elithi: *isilo*, *uNomthebe* kanye negama elithi *wethu*. La magama-ke, ayathungathwa emshweni bese eyatonyulwa kusetshenziswa insizanhlelo *isearch* yamaregular expressions. Njengoba la magama ekhona emshweni, abe eseyabuyiswa wuhlelo. Qaphela-ke ukuthi igama elithi *ilanga* emgqeni wesine alizange libuyiswe wuhlelo. Isizathu esidala lokhu ukuba kwenzeke, yingoba leli gama vele alikho emshweni. Uhlelo lubuyisa kuphela amagama kanye nezakhi zamagama ezikhona embhalweni.

```
In [1]: import re
        sentence = "uNomthebe wethu osekhothemo. Isilo sakwaDlamahlahla"

In [2]: re.search ("Isilo", sentence)
Out[2]: <re.Match object; span=(29, 34), match='Isilo'>

In [3]: re.search ("uNomthebe", sentence)
Out[3]: <re.Match object; span=(0, 9), match='uNomthebe'>

In [4]: re.search ("ilanga", sentence)

In [5]: re.search ("wethu", sentence)
Out[5]: <re.Match object; span=(10, 15), match='wethu'>
```

Isibonelo sesithupha: ukusetshenziswa kwensiza i-*re.search* ukuthungatha kanye nokutomula ‘igama’ olidingakalayo embhalweni.

Kubukeka sengathi awukho umkhawulo wamagama esingawufaka kwikhophasi. Esibonelweni sesikhombisa, ‘amagama’ ayikhulu neshumi atholakala embhalweni ofakiweyo. Igama elithungathiwe lapha yigama elithi *uShaka*.

```
In [1]: import re
        sentence = "UDlungane kaNdaba Ilembe eleg' amanye amalemba ngokukhalipha uNodum'ehlezi kaMenzi uSishak' asishayeki -

In [2]: re.search("uShaka", sentence)
Out[2]: <re.Match object; span=(129, 135), match='uShaka'>
```

Isibonelo sesikhombisa: ukuthungatha amagama akhethiweyo kwikhophasi yesiZulu enamagama ayikhulu neshumi.

Ekuhlaziyeni umbhalo oyikhophasi yesiZulu, kukhona enye indlela engasetshenziswa ukuba umbhalo osekhophasini uvulwe noma ufundwe ngqo usesigudlweni²⁷ sawo. Lokhu kungenziwa kusetshenziswa uhlelo oluyinsizakusebenza u-*open* oluyingxenye yohlelo iPython. Lokhu-ke, kungavula izigudlo ezinkulu zekhophasi ukuba kucwaningwe imibhalo ngendlela elungileyo kanye nangendlela eyonga isikhathi. Ukuvulwa kwekhophasi kusetshenziswa u-*open* kuzovela kahle esibonelweni seshumi nanye.

²⁷ Igama elithi ‘isigudlo’ kulolu cwaningo lisho ukuthi ‘*file*’. Ukuhunyushwa kwegama elithi ‘*file*’ kusesichazamazwini sangonyaka wezi-1969 sikaDent kanye noNyembezi, ekhasini lama-92.

Uhlelo Lwekhomepyutha LwePython Kanye Nekhophasi YesiZulu Njengezinsiza Zokuthuthukisa Kanye Nokuphusisa Ulimi LwesiZulu

Uhlelo lwamaregular expressions lukwazi futhi ukushintsha izinhlamvana zamagama kanye namagama uqobo lwawo. Singasebenzisa insizanhlelo *i-re.sub* ukuguquguqula izinhlamvana zamagama kanye namagama emibhalweni yesiZulu. Isibonelo sesishiyagalombili sitshengisa ukuba *i-re.sub* ingasetshenziswa kanjani emibhalweni yesiZulu.

```
In [2]: import re
```

```
In [3]: string = ""UShaka kaSenzangakhona wayeyinkosi yaseMashobeni""
```

```
In [4]: print (re.sub('UShaka', 'iLembe', string))
```

```
iLembe kaSenzangakhona wayeyinkosi yaseMashobeni
```

```
In [5]: print (re.sub('UShaka kaSenzangakhona wayeyinkosi yaseMashobeni', 'iLembe likaSenzangakhona laliyinkosi', string))
```

```
iLembe likaSenzangakhona laliyinkosi
```

Isibonelo sesishiyagalombili: ukusetshenziswa kwensizanhlelo *i-re.sub* embhalweni wesiZulu

Esibonelweni sohlelo sesishiyagalombili esilotshiweyo lapha ngaphezulu, igama elithi ‘*uShaka*’ liguquliwe kwaba yigama elithi ‘*iLembe*.’ Lokho okuguqulwe wuhlelo lapha kuvela ngaphansi komusho wesine. Ngensizanhlelo yokushintsha amagama *i-re.sub function*, singashintsha futhi izakhi okanye izinhlamvana zawo amagama. Emgqeni wesihlanu kushintshwe izivumelwano zebizo emshweni. Lapha kulo mugqa kujotshelwe ngezivumelwano ezivumelana nebizo elithi, ‘*iLembe*.’ Uhlelo lube selubuyisa-ke konke lokhu ngaphansi komugqa wesihlanu. Ibizo elithi, ‘*iLembe*’ yilo elibiza sakuphoqa uhlobo lwezivumelwano ezizoba semshweni.

Inhlosongqangi yamaregular expression wukuthungatha kanye nokuthola imithetho yokupela kanye nemithetho yohlelo yolimi. Amakhompyutha afunda imithetho yolimi ngokusetshenziswa kwamaregular expressions. Ngokwamaregular expressions, uma amakhompyutha eseyazi imithetho yokupela kanye nemithetho yohlelo yolimi, azobe esekwazi ukulusebenzisa ulimi. Isibonelo sesishiyagalolunye sinamagama ayikhulu neshumi. Insizanhlelo *ipatter=re.compile* isetshenzisiwe ukuba ibheke futhi itomule uhlamvana lwagama u‘*lem*’²⁸ embhalweni oshlelweni. Insizanhlelo

²⁸ Lapha kungenzeka ukuba u-‘*lem*’ uqhamuka egameni elithi ‘*iLembe*’ elisembhalweni ohlaziwayo.

Mthuli Buthelezi

imtholile u'lem' yabe isimbuyisa ngaphansi komugqa wesihlanu. Buka isibonelo seshumi uqaphele ukuba u'aei' awuzange ubuyiswe wuhlelo²⁹. Ngaphansi komugqa wesihlanu awukho umphumela. Lapha-ke, sekungenziwa isiphetho mayelana nengxenyana yomthetho yolimi lwesiZulu ukuba ukupela ngokulandela u-'aei' akuvumelekile kulolu limi.

```
In [1]: import re

In [2]: test_string = 'UDlungwane kaNdaba Ilembe eleq' amanye amalemba ngokukhalipha UNodum'ehlezi kaMenzi uSishak' asishayek

In [3]: pattern = re.compile(r"lem")

In [4]: matches = pattern.finditer(test_string)

In [5]: for match in matches:
        print(match)

<re.Match object; span=(20, 23), match='lem'>
<re.Match object; span=(42, 45), match='lem'>
```

Isibonelo sesishiyagalolunye: ukusetshenziswa kwensizanhlelo `patter=re.compile` embhalweni wesiZulu

```
In [1]: import re

In [2]: test_string = 'UDlungwane kaNdaba Ilembe eleq' amanye amalemba ngokukhalipha UNodum'ehlezi kaMenzi uSishak' asishayek

In [3]: pattern = re.compile(r"aei")

In [4]: matches = pattern.finditer(test_string)

In [5]: for match in matches:
        print(match)

In [ ]:
```

²⁹ Onkamisa abalandelani esiZulwini, kepha bayalumbana. Ngokulekelelwa yikhophasi, izinhlelo zamakhompyutha ziyakwazi ukuthi zifakazele ubunjalo bemithetho yolimi lwesiZulu. Lezi zinhlelo zifakazela imithetho ekhona, kanti futhi zingasiza ekulondolozeni le mithetho. Lezi ezinye nje izibonelo ezitshengisa ukusetshenziswa kwezinsizanhlelo zamakhompyutha ukuhlaziya ulimi lwesiZulu.

Isibonelo seshumi: ukusetshenziswa kwensizanhlelo *ipatter=re.compile* embhalweni wesiZulu ukuthungatha ubukhona kanye nokungabibikho kwezakhi ezithile zamagama

Ukusebenzisa insizanhlelo u-‘infile’ kanye no-‘open’ ukuvula isigudlo esikhulu sekhophasi yesiZulu

Ngezinye izinhlelo zamakhompyutha singakwazi ukuvula izigudlo ezinkulu zekhophasi. Esibonelweni seshumi nanye esilandelayo kuvela uhlelo olulotshiwe lokuvula isigudlo sekhophasi ekwikhompyutha.

Lolu hlelo lokuvula ikhophasi luhlabahlosile impela. Lungavula ikhophasi yanoma yibuphi ubukhulu. Ubukhulu bekhophasi evulwe esibonelweni seshumi nanye bungu 40.6 kb³⁰. Ukusuka lapha-ke, ikhophasi isingahlaziywa, icutshungulwe. Isibonelo sohlelo esilotshiwe seshumi nanye senza ukuba izinhlelo zokuhlaziya ikhophasi ezifana *nowordsmith tools,osketch engine* kanye no-*antconc* zingabe zisaba naso isidingo sokuthi zisetshenziswe esiZulwini³¹. Umbhalo wekhophasi osesibonelweni seshumi nanye uvela ephephandabeni iLanga. Le khophasi isesimweni sesigudlo esiyi-*txt*³². Esibonelweni seshumi nanye, ikhophasi ibizwe ngaphansi kuka*filename*, yabe isivulwa ku-*infile*. Insiza *ulines* iphoqelela ukuba ikhophasi ivele isesimweni semisho. Izinombolo ku*lines* zisho ukuthi ubukhulu obungakanani bekhophasi okumele buvelwe. Ngale ndlela-ke, kuba lula kakhulu ukuhlaziya ikhophasi, kanti futhi konga isikhathi. Izinhlelo ze*Python* zokuhlaziya ikhophasi zitholakala mahhala³³.

³⁰ U-*kb* lapha umele *ukilobytes*.

³¹ Kahle hle lezi zinhlelo azidalelwanga ukuba zihlaziye ikhophasi yesiZulu – yize noma namhlanje zisetshenziselwa ukuhlaziya ikhophasi yanoma yiluphi ulimi lwemvelo. OBhalabuso balezi zinhlelo balotshwe ngolimi lwesiNgisi. Kudingeka ukuba kwakhiwe izinhlelo zokuhlaziya ikhophasi yesiZulu, ezinoBhalabuso abalotshwe ngolimi lwesiZulu.

³² I-*txt* wuhlobo lwesigudlo esilula, esinemibhalo kuphela, esingaxutshwe nalutho olunye. I-*txt* ihambelana kahle kakhulu nezinhlelo zamakhompyutha. Isigudlo se-*txt* siyinsizanhlelo ngokwaso naso.

³³ Igama elithi ‘mahhala’ lapha lisho ukuthi akukhokhwa mali uma kusetshenziswa i*Python*, kanti futhi ayikho nemithetho evimbela ukusetshenziswa kwayo i*Python*.

Mthuli Buthelezi

```
>>> #iphephandaba ilanga
>>> filename = "///home/percival/Desktop/zuluilanga00895.txt"
>>> infile = open(filename, 'r')
>>> lines = infile.readlines()
>>> lines[0:30]
['WIN DOUBLE TICKETS!!! \n', '\n', 'LIKUTHATHA LIKUBEKE \n', '\n', 'SEPTEMBER 18
, 2016 \n', '\n', 'PRICE:R3.50 IncL VAT \n', '\n', 'KWAZULU-NATAL & E/CAPE \n',
'\n', '\n', '\n', '\n', '\n', 'ILANGA LANGESONTO SEPTEMBER\n', 'Ezindala \n', '\n',
'ndida ngethimba eSilo emanyuvesi \n', 'K. \n', 'eZOMPHAKATHI: Lizolwa nezin
xushunxushu \n', ' \n', 'VUSI MKHIZE DOSKHOSIPHI MTHEMBU \n', 'NKOMBANKOMBANE ng
ethimba elisungulwe yiSilo samaBandla iNkosi uGoodwill Zwelithini kaBhekuzulu \n
', 'elimenyezelwe eMkhosini woMhlanga ngeledlule okuthiwa Ii. zolekelela ukulwa
nezinxushunxushu emanyuvesi uma kudingeka. \n', 'ISilo ngesikhathi sethula inkul
uma yaso phambi kwenqwaba yezintombi ezinkundleni zemidlalo eNyokeni KwaNongoma
ebezisuka ezindaweni ezahlukeni sithe, kuyinto embi ukucekelwa ngomlilo kwempahl
a nezimoto okwenzeka \n', 'emanyuvesi akuleli. \n', 'Sikhale nangabazali babafun
di abashiyela konke emaphoyiseni nakuhulumeni lima izingane zabo zivuka umbhejaz
ane zishisa ifupahla yesikole neyezikhungo eziphakeme. Sithe abazali bathule bat
hini uma bebona izingane zabo zicekela phansi ngomlilo impahla. \n', 'Sibuze nok
uthi uma zilokhu ziqhubeka lezi zigameko zokucekelwa phansi ngomlilo kwalezi zik
hungo abantu baseNingizimu Afrika bayozikhombisani \n', '\n', 'UVO LWAKHO: \n']
>>> |
```

Isibonelo seshumi nanye: ukusetshenziswa kwezinsizanhlelo ezivula ikhophasi ebekwe kwikhompyutha

Isibonelo sohlelo seshumi nambili esilotshiwe lapha sitshengisa ukuba singayivula kanjani ikhophasi ekwisizindawazi³⁴.

```
In [1]: from textblob import TextBlob
In [2]: from newspaper import Article
In [3]: url = 'https://zu.wikipedia.org/wiki/Shaka'
In [4]: article = Article(url)
In [5]: article.download()
In [6]: text = article.text
In [7]: print(text)
```

Isibonelo seshumi nambili: ukusetshenziswa kwezinsizanhlelo ezivula ikhophasi ekwisizindawazi

³⁴ NgokukaKeet noBarbour (2014), itemu lesiZulu elithi ‘isizinda solwazi,’ okanye ‘isizindawazi’ lisho ukuthi ‘internet.’

Umzamo wokusebenzisa i-‘Natural Language Toolkit (NLTK)’ ekuhlaziyeni umbhalo wesiZulu

I-*NLTK* enye insizanhlelo ehambelana ne*Python* yokuhlaziya ikhophasi. Lezi zinhlelo ezisetshenziswe lapha ngaphezulu ocwaningweni kazicwasi neze ngokolimi, okusho ukuthi zingasetshenziswa kunanoma yiluphi ulimi lwemvelo lwabantu. Insizanhlelo i-*NLTK* ifika ifakwe ikhophasi yayo. Ikhophasi efika kanye ne-*NLTK* iyaye ibe solimini lwesiNgisi³⁵. IsiNgisi ngale ndlela siba wulimi olusetshenziselwa ukufunda kanye nokufundisa ezinye izilimi. Isibonelo seshumi nantathu sibonisa umzamo wokusebenzisa i-*NLTK* ukuhlaziya umbhalo wesiZulu.

Esibonelweni seshumi nantathu, insizanhlelo i-*NLTK* iyingxenyehlelo lokuhlaziya umbhalo wesiZulu. Kodwa-ke, kubonakala sengathi i-*NLTK* ayikho into eyenzayo embhalweni wesiZulu. Yize noma kuno-*NLTK* ohlelweni olulotshiwe, uhlelo lona luyaqhubeka lufezekisa imiyalelo. I-re emgqeni wesibili idonsa umbhalo osemgqeni wokuqala, bese iwukhiphela ngaphansi komugqa wesithathu. Uhlelo olulotshiwe emgqeni wesine lusebenza ukususa izikhala ezimhlophe eziba phakathi namagama emibhalweni.

```
In [1]: article_text="UDlungwane kaNdaba Ilembe eleg' amanye amalembengokukhalipha UNodum'ehlezi kaMenzi uSishak' asishayeki

In [2]: import re
import nltk

In [3]: article_text
Out[3]: 'UDlungwane kaNdaba Ilembe eleg' amanye amalembengokukhalipha UNodum'ehlezi kaMenzi uSishak' asishayeki - umtakaSen
gakhona Bath' uShaka kayikubusa akayikuba Nkosi Kanti kulaph' ezakunethezeka khona. Umlilo wothathe kaMjokwane Umlilo
wothathe ubuhanguhangu Oshis' zikhova eziseDebe Kwaye kwasha neziseMabedlana. Bayethe boGambushe Nani boFaku Nize n
ingamthintu umtakaNdaba Ngoba ningathi niyamthinta Kobe nithint' uPhunga Nathint' uMagaB' ocaba ngomkhonto A
many' amakhos' ecaba ngamazembe. Ugasane, kade ubagasela Lugasel' amzi yamadoda Lugasel' uPhungashe ezalwa kwaButh
elezi Lugasel' uSondaba woMthand' ehlez' ebandla Lugasel' uMangwane ekngonyameni Lugasel' uFaku eMaMpondweni Lugasel'
uGambushe eMaMpondweni. Inkonyane kaNdaba Eth' isadl' ezinye, yadl' ezinye Yath' isadl' ezinye, yadl' ezinye Eth' is
adl' ezinye, yadl' ezinye Yath' isadl' ezinye, yadl' ezinye Eth' isadl' ezinye, yadl' ezinye. Wena weNdlovu! Bayet
el'
```

```
In [4]: article_text = re.sub('[^a-zA-Z]', '', article_text)
article_text
Out[4]: 'UDlungwaneKaNdabaIlembeelqamanyeamalembengokukhaliphaUNodumehleziKaMenziUSishakasishayekiUmtakaSengakhonaBathuShak
akayikubusakayikubaNkosiKantikulephazakunethezekakhonaUmlilowothathekaMjokwaneUmlilowothatheubuhanguhanguOshisizkhov
aeziseDebeKwayekwashaneziseMabedlanaBayetheboGambusheNaniBoFakuNizeningamthintuUmtakaNdabaNgobaningathiniyamthintak
obenathintuPhungaNathintuMagaB'UmbocobangomkhontoAmanyamakhoscabangamazembeUgasaneKadelubagaselaLugasel'limziyamad
odaLugasel'PhungasheezalwaKwaButh'eleziLugasel'UsondabaWoMthandehlezebandlaLugasel'UgambusheUgambusheMaMpondweniLugasel'
UgambusheMaMpondweniInkonyaneKaNdabaEth'isadl'ezinye,yadl'ezinyeYath'isadl'ezinye,yadl'ezinyeEth'isadl'ezinye,yadl'ezinye.
WenaWeNdlovu!Bayet
el'
```

Isibonelo seshumi nantathu: umzamo wokusebenzisa i-*NLTK* esiZulwini

³⁵ Ziyaye zibe khona nezinye izilimi ezitholakala kwi-*NLTK*. Kodwa isiZulu asiyo ingxenye yezilimi ezitholakala kwi-*NLTK*.

Yize noma kunjalo, okuvelayo lapha wukuthi i-*NLTK* icwasa ngokolimi. Izingxenywe eziyingqikithi kwi-*NLTK*, ikakhulukazi ikhophasi yayo, zivuna kakhulu ulimi lwesiNgisi. I-*NLTK* ikwazi ukuguquguqula amagama kuvele imisuka yawo – kodwa ikwazi ukukwenza lokhu olimini lwesiNgisi, hhayi olimi lwesiZulu. Indlela yokulungisa lesi simo wukuba kufakwe ikhophasi yesiZulu kwinsizanhlelo i-*NLTK*³⁶. Isibonelo seshumi nane sibonisa umyalezo obuyiswe wuhlelo olulotshiwe lapho khona umzamo wokuhlela amagama esiZulu ngokwemisuka yawo uphunzile.

```
In [6]: sentence_list = nltk.sent_tokenize(article_text)
        sentence_list

-----
LookupError                                Traceback (most recent call last)
~/tmp/ipykernel_2598/3591929544.py in <module>
----> 1 sentence_list = nltk.sent_tokenize(article_text)
      2 sentence_list

~/local/lib/python3.8/site-packages/nltk/tokenize/_init_.py in sent_tokenize(text, language)
   104     param language: the model name in the Punkt corpus
   105     """
--> 106     tokenizer = load(f"tokenizers/punkt/{language}.pickle")
   107     return tokenizer.tokenize(text)
   108

~/local/lib/python3.8/site-packages/nltk/data.py in load(resource_url, format, cache, verbose, logic_parser, fstruc
t_reader, encoding)
   748
   749     # Load the resource.
--> 750     opened_resource = _open(resource_url)
   751
   752     if format == "raw":

~/local/lib/python3.8/site-packages/nltk/data.py in _open(resource_url)
   874
   875     if protocol is None or protocol.lower() == "nltk":
--> 876         return find(path, path = [""]).open()
   877     elif protocol.lower() == "file":
   878         # urllib might not use modes='rb', so handle this one ourselves:

~/local/lib/python3.8/site-packages/nltk/data.py in find(resource_name, paths)
   581
   582     resource_not_found = f"\n{sep}\n(msg)\n{sep}\n"
--> 583     raise LookupError(resource_not_found)
   584
   585

LookupError:
*****
Resource punkt not found.
Please use the NLTK Downloader to obtain the resource:
```

Isibonelo seshumi nane: umzamo ophunzileyo wokuhlela amagama esiZulu ngokwemisuka yawo.

Ukucubungula kanye nokubuyekeza imiphumela

Izinhlalo zamakhompyutha zakhiwa yezinye izinhlelo zamakhompyutha ziphinde futhi zisetshenziselwe ukwakha ezinye izinhlelo zamakhompyutha.

³⁶ Ikhophasi yesiZulu ingafakwa lapha kwi-*NLTK* ibe kanye namakhophasi esiNgisi kanye namakhophasi ezinye izilimi. Okanye singasebenza ngqo ngekhophasi yesiZulu ngokuba siyivule ngqo kuma khompyutha kanye nakwisizindalwazi, njengoba sibona esibonelweni seshumi nanye kanye nase sibonelweni seshumi nambili.

*Uhlelo Lwekhompyutha LwePython Kanye Nekhophasi YesiZulu
Njengezinsiza Zokuthuthukisa Kanye Nokuphusisa Ulimi LwesiZulu*

Lokhu kusho ukuthi izinhlelo ezilotshiweyo zingahlanganiswa kanye nezinye izinhlelo ezilotshiweyo ukwakha izinhlelo ezinkulu neziphelele. Lezi zinhlelo ezilotshiweyo lapha ngaphezulu yizinhlelo ezilulana, ezingenzima neze, futhi okulula impela nokuziloba. Kodwa-ke, izinhlelo zingaba nkudlwana, zibe nzinyana, ngokuba kwengezwe izinhlosongqangi zemisebenzi yazo. Ucwangingo oluzokwelama lolu luzobheka ukuba singazihlela kanjani lezi zinhlelo ukuba zikwazi ukusetshenziswa nguwonkewonke. Ngale ndlela, lezi zinhlelo ezilotshiweyo ziyobe sezisebenza okwangempela emphakathini, sezisetshenziswa wuluntu lonkana.

Okubalulekile-ke, nokuyinhlosongqangi jikelele yalolu cwangingo, wukuba lufundise ngokuba singalwenza kanjani ucwangingo emibhalweni yesiZulu sisebenzisa ikhophasi yesiZulu kanye nezinsizanhlelo ze*Python*. Uma kuhlaziywa ikhophasi yolimi lwemvelo, kuyaye kubhekwe *okeyword*, amaconcordance kanye nocollocation, owordlists, oword frequency kanti futhi kwesinye isikhathi kuyaye kubhekwe noword cloud generation. Lolu cwangingo luhlose ukubonisa ukuthi amaregular expressions e*Python* angasetshenziswa ukwenza ucwangingo lwanoma yiluphi uhlobo ekhophasini yesiZulu. Ngenhla, sibonise ukuthi singazisebenzisa kanjani izinsizanhlelo zamaregular expressions ukuhlaziya imibhalo kanye nekhophasi yesiZulu. Isearch enye yezinsizanhlelo ebalulekile ekuhlaziyeni imibhalo yesiZulu kanye nekhophasi yonkana. Amaregular expressions anensizanhlelo i-re.search. Lena yinsizanhlelo engacwasi ngokolimi, ekwazi ukuthungatha kanye nokutomula ibinzana lezakhi kanye namagama lawa adingakalayo emibhalweni. Isibonelo sokuqala, nesesibili, nesesithathu, nesesithupha kanye nesesikhombisa, zibonisile ukuba singayisebenzisa kanjani le nsizanhlelo emibhalweni yesiZulu. Ukuphequlula emibhalweni ebhaliweyo ukuzama ukuthola ibinzana lezakhi kanye namagama adingakalayo, kungathatha isikhathi eside impela. I-re.search yenza inqubo yokuthungatha izinhlamvana kanye namaganyana adingakalayo ukuba isheshe futhi ibe lula.

Insizanhlelo ifindall ithi ayenze umsebenzi ocishe ufane nowensizanhlelo isearch. Ifindall ikwazi ukuwola yonke into esekhophasini. Isibonelo sesine kanye nesesihlanu sitshengisa ukuba le nsizanhlelo ingasetshenziswa kanjani emibhalweni yesiZulu. Ukuhlela ikhophasi ngokohlu lwamagama ayo kubaluleke kakhulu njengengqikithi yokuhlela kanye nokuhlaziya ikhophasi. Ifindall ingasetshenziselwa, kokunye, ukuhlela ikhophasi ngokohlu lamagama ayo.

Insizanhlelo i-re.sub yona ingasetshenziselwa ukushintsha izinhlamvu

zagama okanye amagama uqobo lwawo emibhalweni kanye nasekhophasini. Ake senze isibonelo, sithi mhlawumbe ulungisa ‘amaphutha’ emibhalo ekhophasini; ake sithi mhlawumbe uhlamvana lwagama u-*la* ubhaleke njengo *!a* ngenkathi kugaywa ikhophasi. I-*re.sub* ingashintsha ‘iphutha’ u-*!a* kuyo yonke ikhophasi, ilenze lelo ‘phutha’ kube wuhlamvana olwamukelekileyo esiZulwini, u-*la*. Lesi esinye nje isibonelo esitshengisa indlela i-*re.sub* engasetshenziswa ngayo emibhalweni yolimi lwesiZulu. Kuningi futhi okunye okungenziwa yile nsizanhlelo i-*re.sub*.

Ukusetshenziswa kwamaregular expressions kusiza ukuba kuthungathwe imithetho yokupela kanye nemithetho yohlelo yolimi eyamukelekileyo. Kwizingcwengamsindo, nakwizingcwengazinhlamvu magama, kanye nasemagameni nasemishweni kukhona imithetho yakhona okumele ifundiswe amakhompyutha. Insizanhlelo *ipattern = re.compile* esesibonelweni sesishiyagalolunye kanye nasesibonelweni seshumi, itshengisa kahle kamhlophe ukuthi imithetho ingathungathwa kanjani olimini. Uma imithetho isiqoqiwe, ikhompyutha iyobe isikwazi ukuba iyisebenzise leyo mithetho ukuze iluqonde ulimi lwabantu. Uma sibheka imithetho yokwakheka kolimi lwesiZulu, masingabheki nje kuphela imithetho yokwakheka kwamagama kanye nemisho; kepha kuyomele futhi sikhumbule ukuxilonga nemithetho yokwakheka kwezakhi zagama. Isibonelo sesishiyagalolunye sibonisa ubunjalo bohlamvana lwagama u-*‘lem’*³⁷. Ngalolu hlamvana u-*‘lem’* kungafakazwa manje kuthiwe lwamukelekile olimini lwesiZulu njengoba insizanhlelo isitshengisile nje.

Isibonelo seshumi nanye kanye nesibonelo seshumi nambili zibonisa ukuthi kungasetshenzwa kanjani nekhophasi enkulu uqobo lwayo. Ikhophasi kungasetshenzwa ngayo ibe ikwikhompyutha noma ibe ikwisizindlalwazi. Ukuhlaziywa kwekhophasi okufana nekeyness, newordlist kanye neconcordance sekungenziwa manje esiZulwini kusetshenziswa kuphela uhlelo lwePython. Ucwangingo oluzokwelama lolu luhlose ukucubungula ikhophasi yesiZulu ngokwenaba okujulileyo nokugculisayo. Isibonelo seshumi nantathu kanye nesibonelo seshumi nane zibonisile ukuba i-NLTK icwasa ngokolimi.

Muningi umsebenzi okusamele wenziwe mayelana nokucubungula isiZulu ngaphansi komkhakha wamakhompyutha. Okokuqala nje, ucwangingo

³⁷U-*‘lem’* akasiye isakhi esiyimofimi esiZulwini, kepha uwuluhlamvana lwengxenye yegama elamukelekile esiZulwini, njengoba insizanhlelo i-matches = *pattern.finditer* itshengisile nje.

*Uhlelo Lwekhompyutha LwePython Kanye Nekhophasi YesiZulu
Njengezinsiza Zokuthuthukisa Kanye Nokuphusisa Ulimi LwesiZulu*

ekusetshenzisweni kwamakhompyutha esiZulwini kumele luqhubeke. Lapho okufundwa khona ulimi lwesiZulu, kumele kube khona isifundo esifundisa siphinde sicwaninge ngobudlelwano phakathi kwamakhompyutha nesiZulu.

Okwesibili, eminye imisebenzi esasalele esiZulwini, ukuhlelwa kwamagama ngokwemisuka yawo kanye nangokwezingcezu zenkulumo zawo. Kumele kufundiswe amakhompyutha ukuba akwazi ukuhlela amagama esiZulu ngokwemisuka yawo, aphinde futhi akwazi ukuwahlela ngokwezingcezu zenkulumo zawo. Lokhu sekuyenzeka manje esiNgisini kanye nakwezinye izilimi ezithuthukileyo. Okwesithathu, amakhompyutha kumele futhi afundiswe nokuphimisa amagama esiZulu, lokhu esithi phecelezi *itext to speech recognition*³⁸. Kumele futhi aphinde afundiswe ‘nokuwezwa’ amagama esiZulu, lokhu esithi *ispeech recognition* noma *yspeech to text*³⁹. Lokhu okubaluliwe lapha ngaphezulu izibonelo nje ezimbalwa. Kuningi kakhulu impela okusamele kwenziwe.

Uhlelo lwePython wuhlelo oluhle impela lokubumba izinhlelo ezisetshenziswa kumakhompyutha nakomakhalekhukhwini. Lolu hlelo, njengoba sekuveziwe kulolu cwaningo, lungasetshenziswa futhi ukuhlaziya kanye nokuthuthukisa ulimi lwesiZulu. Lolu hlelo lwePython, uma luqhathaniswa nezinye izinhlelo, lulula kakhulu ukulufunda kanye nokulusebenzisa. Iningi labantu lungalufunda lolu hlelo bese lusetshenziselwa ukuphusisa kanye nokuthuthukisa ulimi lwaboHlanga. Lolu cwaningo, ngaphansi komhlahlandlela wekhophasi, luveze izindlela ezingasetshenziswa ukucubungula isiZulu ngaphansi kwezinhlelo zamakhompyutha. Uma kuqhutshekwa kusetshenziswa izinsizanhlelo zamakhompyutha ekucubunguleni kanye nasekuhlaziyeni isiZulu, uma futhi izinhlelo zamakhompyutha zakhelwa isiZulu, lokho kuyobe kusho ukuphucuzeka kwaso isiZulu.

³⁸ Kumele kubalulwe ukuba inkampani iMicrosoft isiwenzile umsebenzi *wetext to speech recognition* esiZulwini. Lokhu kufakazelwa ukuba khona kukaThando kanye noThema kwiMicrosoft office abakwazi ukufunda isiZulu. Kodwa-ke, umsebenzi *wetext to speech recognition* esiZulwini kusamele uqhutshwe, ube sesimweni esingcono kunalesi okusona njengamanje.

³⁹ Inkampani iGoogle isiwenzile umsebenzi *wespeech to text recognition* esiZulwini. *Ispeech to text recognition* yesiZulu itholakala ngaphansi kwethuluzi *idictation* kuGoogle docs. Yize noma lo msebenzi usuwenziwe, usangaqhutshwa futhi wenziwe ube ngcono.

Isiphetho

Lolu cwaningo luhlose ukufaka intshisekelo ukuba abacwaningi baqale ukuhlongoza ukuhlaziya ulimi lwesiZulu ngaphansi kwezinhlelo zamakhompyutha ezifana noPython. Uma kuqhathaniswa isiZulu kanye nesiNgisi, kuvela kube sobala ukuthi kuningi okusamele kwenziwe esiZulwini uma sekuziwa ngakwezamakhompyutha. Kuningi futhi okusamele kwenziwe ngamaregular expressions esiZulwini. Ucwaningo oluzokwelama lolu, luzothi alufuze lolu ekutheni inhloso yalo – njengoba sibonile futhi lapha – kuzoba wukuzama ukufundisa abantu ukuba izinhlelo zamakhompyutha kumele ziqale manje zamukelwe emfundweni ephakeme, zamukelwe emfundweni yezezilimi, ezikweni lezikole zezesintu kanye nasezikweni lezikole zobuciko. Okubaluleke kakhulu futhi wukuthi izinhlelo ezilotshwe phansi lapha zihlelwe ngendlela yokuthi ziyasabalaliseka ukuze zifinyelele kuwo wonke umuntu, futhi zikwazi ukuba zisetshenziswe ngabantu abazidingayo, abafuna ukuzisebenzisa. Ngaphezu kwalokho, ucwaningo olulandelayo luhlose ukwakha izinhlelo ezikwazi ukuhlela amagama esiZulu ngokwemisuka yawo. Okubalulekile wukuba lolu cwaningo lubonise ingxenye yokusebenza ngePython engacwasi ngokolimi. Ngaphezu kwalokho, okuvele kwacaca kulolu cwaningo wukuba siyakwazi ukusebenzisa izinhlelo zePython ezikhethekileyo ukuhlaziya ikhophasi yesiZulu. Lolu cwaningo luhlose ukufaka intshisekelo ukuba kuqhutshekwe kwenziwe olunye ucwaningo olwengeziwe olimini lwesiZulu, kwikhophasi yesiZulu kanye nasekwakheni izinhlelo zamakhompyutha ezisebenza ngolimi lwesiZulu. Lolu cwaningo lubonise ingqikithi yokusetshenziswa kwezinsizanhlelo zamakhompyutha esiZulwini. Ukusetshenziswa kwezinhlelo zamakhompyutha esiZulwini kuveza amanye amaqhinga okuba isiZulu singafundwa siphinde sifundiswe kanjani.

Imithombo Yolwazi

- Cai, X., H. Langtangen & H. Moe 2005. On the Performance of the Python Programming Language for Serial and Parallel Scientific Computations. *Scientific Programming* 13: 31 - 56.
<https://doi.org/10.1155/2005/619804>
- Dent, G. & C. Nyembezi 1969. *Scholar's Zulu Dictionary*. Shuter and Shooter: Pietermaritzburg.

*Uhlelo Lwekhompyutha LwePython Kanye Nekhophasi YesiZulu
Njengezinsiza Zokuthuthukisa Kanye Nokuphusisa Ulimi LwesiZulu*

- Egbert, J., T. Larsson, & D. Biber 2020. *Doing Linguistics with a Corpus*. Cambridge: Cambridge University Press.
<https://doi.org/10.1017/9781108888790>
- Hao, J. & T. Ho, 2019. Machine Learning Made Easy: A Review of Scikit-learn Package in Python Programming Language. *Journal of Education and Behavioral Statistics* 44,3: 348 - 361.
- Keet, C. & G. Barbour 2014. Limitations of Regular Terminology Development Practices: The Case of isiZulu Computing Terminology. *Alternation* 12: 13 - 48.
<https://doi.org/10.3102/1076998619832248>
- Keet, C., M. Xakaza & L. Khumalo 2017. Verbalising OWL Ontologies in isiZulu with Python. *European Semantic Web Conference* 10577: 59 - 64.
https://doi.org/10.1007/978-3-319-70407-4_12
- Khumalo, L. 2020. Using Corpora in Online isiZulu Language Teaching. In Mkhize, N., N. Ndimande-Hlongwa, L. Ramrathan & J. Smit (eds.): *Teaching and Learning in Higher Education in the Time of Covid-19. Alternation African Scholarship Book Series* 3: 37-53. Pietermaritzburg: CSSALL Publishers. <http://alternation.ukzn.ac.za/Files/books/series-03/02-khumalo.pdf>
- Malloy, B. & J. Power, J 2017. Quantifying the Transition from Python 2 to 3: An Empirical Study of Python Application. *Empirical Software Engineering and Measurement (ESEM)* 24, 2: 1-10.
<https://doi.org/10.1007/s10664-018-9637-2>
- McEnery, T. & A. Hardie 2014. *Corpus Linguistics*. Cambridge: Cambridge University Press.
- Nyembezi, C. 1986. *Uhlelo lwesiZulu*. Pietermaritzburg: College Press.
- Piwek, P. & S. Savage 2020. Challenges with Learning to Program and Problem Solve: An Analysis of Student Online Discussion. In *SIGCSE '20: Proceedings of the 51st ACM Technical Symposium on Computer Science Education*. New York: ACM.
<https://doi.org/10.1145/3328778.3366838>
- Pretorius, L. & S. Bosch 2003. Finite-State Computational Morphology: An Analyzer Prototype for Zulu. *Machine Translation* 18,3: 195 - 216.
<https://doi.org/10.1007/s10590-004-2477-4>
- Taylor, C. 2010. What is Corpus Linguistics? *The International Computer Archive of Modern and Medieval English (ICAME) Journal* 32: 179 - 200.

Mthuli Buthelezi

Van Rossum, G. & J. De Boer 1991. Interactively Testing Remote Servers Using the Python Programming Language. *CWI Quarterly* 4,4: 283 - 304.

Mthuli Buthelezi
African Languages and Linguistics
University of KwaZulu-Natal
209506656@stu.ukzn.ac.za
uluntualgorithms@outlook.com